

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

in 1.20 HNO₂, washed in distilled water, and again placed in the salt solution, it is found that the time now required for activation is not shorter but is essentially the same as before, i. e., 8 to 10 seconds. Evidently the brief exposure to the acid has restored the partly altered film to its original condition. But if the process of alteration in salt solution is allowed to pass the critical stage (with, e. g., 10 seconds exposure) before transfer to the acid, the latter has no passivating action, and the wire continues to react until completely dissolved. This observation shows that the progressive modification which the film undergoes in the salt solution is of a kind which is rapidly and completely reversible if the metal is returned to the acid before a certain critical stage is reached; but after this stage is once passed the whole film breaks down when the wire is replaced in acid and the iron is no longer protected against solution. This behavior resembles that of living cells after transfer from a balanced salt-solution like sea water to a toxic solution like pure m/2 NaCl, as shown (e. g.) in Osterhout's experiments with Laminaria; the cells undergo a progressively injurious modification associated with an alteration in the properties of the plasmamembranes, shown by increasing permeability; this change may be reversed by transfer to the original medium before, but not after, the modification has reached a certain critical stage. Thus the characteristic power, normally possessed by the living plasma-membrane, of preserving intact its continuity and semipermeability is simulated in a general manner by the behavior of the surface-film of passive iron in dilute nitric acid.

The action of salt-solutions upon those surface-films (influence of nature and concentration of salts, relative rates of action of different salts, antagonisms) will be described more fully in the second part of this article.

RALPH S. LILLIE

SOCIETIES AND ACADEMIES THE NORTH CAROLINA ACADEMY OF SCIENCE

THE annual meeting of the North Carolina Academy of Science was held at Trinity College, Durham, on May 2 and 3.

The presidential address was given by Dr. E. W. Gudger on "On an extraordinary method of fishing—the use of remora for catching fish and turtles."

The following papers were presented:

Undamped electrical oscillations: C. W. Edwards. A portable printing outfit for the ecologist: Z. P. Metcalf.

Sanitation in the south: Thorndike Saville.
Some generic distinctions in sponges: H. V. Wil-

A magnetic paradox: F. N. EDGERTON, JR. Vegetation in the closing of ponds with special reference to the Kamaplain ponds of Wexford county, Michigan: COLLIER COBB and H. D. HOUSE.

Preliminary studies of the reproduction rate of Copepoda: Fannie E. Vann.

Deposits of volcanic ash: John E. Smith (by

title).

Asymmetry in the formation of the nervous system in the frog embryo: Blackwell Markham.

Recent mosquito control work in North Carolina:

R. W. Leiby.

Reptilian folklore: C. S. Brimley. New or little known diatoms from Beaufort, North

Carolina: J. J. Wolfe. Some notes on Protozoa:

(a) Occurrence of Tintinnus serratus Kofoid in Chesapeake Bay.

(b) Arcella excavata nov. sp.: Bert Cunningham. The ovary of the Gaff-topsail catfish, Felichthys felis: E. W. Gudger.

The seventeen-year locust in North Carolina in 1917: Z. P. METCALF.

Our rats, mice and shrews: C. S. BRIMLEY.

The high frequency electric furnace: F. N. Egerton, Jr.

The felsites of Mount Collier: John E. Smith (by title).
The inland waterway from Boston to Beaufort:

COLLIER COBB.

(a) A new parasitic blue-green alga.

(b) Comparison of Rhododendron catawhiense with a form occurring at Chapel Hill: W. C. COOKER.

Locating invisible objects: C. C. HATLEY.

BERT CUNNINGHAM, Secretary

SCIENCE

A Weekly Journal devoted to the Advancement of Science, publishing the official notices and proceedings of the American Association for the Advancement of Science

Published every Friday by

THE SCIENCE PRESS

LANCASTER, PA.

GARRISON, N. Y.

NEW YORK, M. Y.

Entered in the post-office at Lancaster, Pa., as second class matter